









San Diego-LOSSAN Regional Rail Corridor Improvement Study Update

LOSSAN Board of Directors | May 17, 2021

KeepSanDiegoMoving.com


Los Angeles – San Diego – San Luis Obispo (LOSSAN) Rail Corridor

- Nation's second busiest intercity rail corridor behind the Northeast Corridor (8 million riders annually)
- Approximately \$1 billion in goods carried
- San Diego Subdivision is the southernmost 60.1 miles in San Diego County
- Owned by NCTD and MTS
- Part of Strategic Rail Corridor Network (STRACNET)
- More than \$1 billion identified for capital improvements (mainly capacity)



Del Mar Bluffs Background


Del Mar Bluffs Landslide at MP 245.2 – 2/28/2021








Del Mar Bluffs Landslide at MP 245.2 – 2/28/2021








Del Mar Bluffs AWW#1 – 03/13-14: Temp. Grading







Del Mar Bluffs AWW#3 – 04/10-12: Pile Installation





2 Study Background


Expected Study Results

The study will result in:










Supporting Analysis for Passenger and Freight Rail Services

Consistent with the 5 Big Moves, recommended improvements will support future investments to reduce travel times, increase capacity, and enhance safety

Reporting Structure



PROJECT DEVELOPMENT TEAM

SANDAG

NCTD

MTS


LOSSAN

Metrolink

BNSF Railway

FRA

Caltrans



EXECUTIVE LEADERSHIP TASK FORCE

SANDAG BOARD OF DIRECTORS

3 Operational Feasibility

Objectives




Evaluate technology, including higher speed diesel locomotives and electrification



Identify freight and passenger service acceleration within context of LOSSAN Optimization Study




Assess changes to communications and signaling system and risks to current and near-term operations



Test a planning-level service concept for future service to proposed Sorrento Mesa Mobility Hub (in coordination with South Bay to Sorrento CMCP)

Infrastructure Assumptions

SANDAG's Infrastructure Development Plan¹



New stations at

- Del Mar Events platform
- UTC/Nobel Station
- San Diego International Airport


Double track rail corridor from the County Line to Downtown San Diego. The preliminary results assume Del Mar and Miramar Hill tunnels

Upgraded line speeds to support 110 mph operations


(1) Also recommended in the LOSSAN Optimization Study

Preliminary Travel Time

(IN MINUTES)



Preliminary Operational Findings




No measurable benefits for running 125 mph over 110mph due to station spacing



ZMU offers acceleration and braking benefits over diesel locomotive



Freight service safety concerns for running in shared corridor at more than 110 mph



Speed improvements in SD County highlight critical infrastructure constraints at San Clemente


Existing fleet cannot operate beyond 90 mph due to coach restrictions

Alternatives Analysis

Del Mar Realignment


REVISED ALTERNATIVES

- Camino Del Mar
- Crest Canyon Higher Speed



Del Mar Realignment

REVISED ALTERNATIVES



FREIGHT MAX SPEED (MPH)

90/60 110/60

110/60

110/60

80/60

Crest Canyon (Above CVR) 110/60

Crest Canyon (Below CVR)

Crest Canyon Higher Speed

ALIGNMENT

Camino Del Mar

Today

I-5

CAPITAL COSTS COMPARISONS

Base +5%

+10%

+30%

+5%

TRAVEL TIMES (MINUTES)

Solana Beach to Old Town


	All Stop		Limited Stop		
Charger + 5 Coaches		ZMU	Charger + 7 Coaches	ZMU	
	31	-	32	-	
	28.2	26.9	27.3	25.2	
	28.2	26.9	27.4	25.2	
	28.2	26.9	27.4	25.2	
	28.2	26.9	27.4	25.2	
	29.6	28.9	28.6	27.3	

Del Mar Realignment

Preliminary Summary

	Camino Del Mar			Crest Canyon		
Issue Area		Higher Speed		Above Carmel Valley Road	Below Carmel Valley Road	I-5
Total Cost	Base	+5%		+5%	+10%	+30%
Total Length (mi)	4.9	4.8		4.5	4.5	5
Tunnel Length (mi)	1.8	2.5		2.5	3.1	2.2
Tunnel Depth (ft)*	35 - 120	35 - 275		35 - 365	35 - 480	35 - 210
Elevated Structure (ft)	8,000	4,800		4,600	130	5,300
* top of tunnel to existing ground; minimum – maximum depth						

REVISED ALTERNATIVES



FREIGHT Charger + Charger + **MAX SPEED CAPITAL COSTS** (MPH) **ALIGNMENT COMPARISONS** 5 Coaches **ZMU** 7 Coaches **ZMU** 90/60 **Base Condition** 31 32 Torrey Pines 110/60 Base 19.7 18.4 21 18.4 UTC 18.9 110/60 +2% 20.3 21.8 19

Miramar Realignment

Preliminary Summary

Issue Area	Torrey Pines	University Town Center			
Total Cost	Base	+2%			
Total Length (mi)	4.9	5.1			
Tunnel Length (mi)	3.2	2.1			
Tunnel Depth (ft)*	35 - 245	35 - 150			
Elevated Structure (ft)	3,000	4,900			
* top of tunnel to existing ground; minimum – maximum depth					

5 Tunneling and Fire Life Safety (FLS)

Tunnels in Similar Ground Conditions

- Mission Valley East Tunnel San Diego, CA
- Courthouse Commons Tunnel San Diego, CA
- Regional Connector Los Angeles, CA
- Channel Tunnel Between England and France
- Alaskan Way Viaduct Seattle, WA
- BART to Silicon Valley Phase 2 (design in progress) San Jose, CA









Fire Life Safety Egress


REASONS FOR EGRESS



Fire Life Safety Egress

MEANS OF EGRESS





Tunnels with Similar Operations

US Tunnels

- Moffat Tunnel Colorado
- B&P Tunnel Maryland
- Cascade Tunnel Washington
- Flathead Tunnel Montana

International Tunnels

- Channel Tunnel between England and France
- Gotthard Base Tunnel Switzerland
- Brenner Pass Tunnel between Austria and Italy (under construction)
- Loetschberg Tunnel Switzerland

Study Schedule

Baseline Documents*	Del Mar Tunnel Alternatives Analysis	Miramar Hill Tunnel Alternatives Analysis	Corridor Wide Higher Speed Evaluation	Cost Estimates, Phasing and Implementation Plan
Summer 2021	Summer 2021	Fall 2021	Fall 2021	Spring 2022
Public Outreach				

Study to conclude in April 2022

Future phases of development are pending funding

^{*}Baseline Documents are Existing Conditions, Higher Speed Operational Feasibility, Track and Tunnel Basis of Design, Corridor Resiliency